

## PORTRAIT Q-AIR SET

Set of 8 LED PAR 4x12W RGBW 4in1 with lithium battery and flight case with charging function

PORTRAIT Q-Air is a battery-powered (or mains-powered) PAR, specifically designed for rental applications. You can easily control it by choosing among IR remote control, wired DMX-512 connection, Wireless DMX (by using the SOUNDSATION AIRCOM-126, 2.4GHz Wireless DMX Transceiver - check [www.soundsationmusic.com](http://www.soundsationmusic.com) for further details), and Wi-Fi Control by using LED LAMP free APP for iOS® and Android® devices.

This fixture is part of a set composed by 8pcs PARs housed in a flight case with charging function. You can easily recharge by placing them into the flight case, connecting to power with the eight IEC connectors inside the case, and finally connecting the flight case external power connector to a mains outlet.

The lighting emitting system consists of 4pcs 12W RGBW 4in1 high-brightness LEDs with a life-span of approximately 50,000 hours. Each LED features a high-quality lens with 15° beam angle and 29° field angle, making this PAR ideal for all applications ranging from wash to beam use.

The PORTRAIT Q-Air has a highly compact housing, and can be fit inside 300x300mm truss to create wonderful wash effect inside the truss structure. The fixture can sit on even and solid floor and work as an up-light. It also has a built-in adjustable tilt support. By pushing the tilt support, the fixture tile can move up to 25° to wash walls or facades.

The high-efficiency lithium battery guarantees a complete charge from zero within about 5 hours, and a working duration ranging from 5 hours (full color mode) to 12 hours (single color mode). The infrared remote control allows remote control of the main functions without the use of DMX.



## PRODUCT DETAILS

### Key features

4x 12W RGBW 4in1 high-efficiency and long-life LEDs

---

15° Beam angle; 29° Field angle

---

CRI  $\geq$  90

---

Flicker-Free Operation

---

Wireless 2.4GHz DMX-512 control

---

DMX-512 wired control

---

Wi-Fi Control Mode

---

IR remote control

---

0°-25° adjustable tilt support

---

Foldable handle for easy transport

---

OLED Color Display with intuitive interface

---

Rechargeable Lithium-Ion Battery for up to 12-hour operation

---

8-Units Flight Case with Charging Function

---

## Specifications

<b>Light sources</b>	4x12W RGBW 4-in-1 LEDs
<b>Beam angle</b>	15°
<b>Field angle</b>	29°
<b>Led average life span</b>	50,000 hours
<b>Control mode</b>	DMX512, Master/Slave, Stand Alone, Wireless DMX, IR Remote Control, Wi-Fi control
<b>DMX channel</b>	4/8 channel selectable
<b>Control panel</b>	LCD display
<b>Power input</b>	100-240VAC 50/60Hz
<b>Power consumption</b>	Max. 45W
<b>Fuse</b>	F5A-250V
<b>Power Input / Output Connector</b>	IEC
<b>Battery type</b>	Rechargeable lithium-ion Battery Pack 14.8V - 5.2Ah LG18650-4S2P
<b>Battery Pack Size</b>	65 x 75 x 35 mm
<b>Charge time</b>	About 5.0 hours
<b>Battery life</b>	5 hours at full color from one full charge; 8 hours at running preset programs; 12 hours at running single color
<b>IP rating</b>	IP20
<b>Cooling</b>	Natural cooling, silent operation
<b>Housing Material</b>	Rigid metal
<b>Housing color</b>	Black
<b>Fixture Size (WxDxH)</b>	138 x 144 x 205mm - 5.43 x 5.67 x 8.07 in
<b>Net weight</b>	3.6 kg - 7.94 lbs.
<b>(Flight Case) Power input</b>	100-240VAC 50/60Hz
<b>(Flight Case) Power consumption</b>	Max. 400W
<b>(Flight Case) Fuse</b>	F10A-250V
<b>(Flight Case) Power In/Out Connections</b>	Powercon Input / Output
<b>(Flight Case) Size (WxDxH)</b>	755 x 455 x 485 mm (29.72 x 17.91 x 19.09 inch)
<b>Weight</b>	51 kg - 112.5 lbs. (including 8 Pars and accessories)